L Number	Hits	Search Text	DB	Time stamp
1	2	5319760.pn.	USPAT; US-PGPUB;	2004/03/03 13:10
2	1	5319760.pn. and (process adj control adj block)	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/03/03 13:17
3	1	5319760.pn. and invalidat\$3	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/03/03 13:37
4	1	5319760.pn. and (flush\$3 same match)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/03 13:36
5	4392	(flush\$3 or invalid\$) near (command or instruction or transaction)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/03
6	0	((flush\$3 or invalid\$) near (command or instruction or transaction)) and 5319760.pn.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/03
7	1	5319760.pn. and invalid\$	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/03 13:37
8	3724	context near switch\$3	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/03 13:37
9	21	<pre>(context near switch\$3) same ((flush\$3 or invalid\$) near (command or instruction or transaction))</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/03 13:37
10	8	<pre>(context near switch\$3) with ((flush\$3 or invalid\$) near (command or instruction or transaction))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/03 13:38
11	13	or invalid\$) near (command or instruction or transaction))) not ((context near switch\$3) with ((flush\$3 or invalid\$) near (command or instruction or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 13:41
12	3	transaction))) (context near switch\$3) and tlbie	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/03 13:41
13	1	(context near switch\$3) same tlbie	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/03 13:41

L	Hits	Search Text	DB	Time stamp
Number 1	1881	(shared or global) adj (bit or flag or indicator or semaphore)	USPAT; US-PGPUB; EPO; JPO;	2004/03/03 07:43
2	54660	asid or tid or pid or asn	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/03/03 07:43
3	88040	((task or process or function or (address adj space)) adj (id or identifier or identification)) or ((task or process or function or (address adj space)) adj	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/03 07:44
4	1454	number) or (asid or tid or pid or asn) invalidat\$3 adj2 (transaction or command or instruction)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/03 08:46
5	2119	(flush\$3 or evict\$3 or purg\$3) adj2 (transaction or command or instruction)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/03 07:45
7	12	<pre>invalidat\$3 with ((shared or global) adj (bit or flag or indicator or semaphore))</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/03 07:46
8	1009	invalidat\$3 with (shar\$3 or global)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/03 07:46
11	304	<pre>(invalidat\$3 with (shar\$3 or global)) and (invalidat\$3 adj2 (transaction or command or instruction))</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/03
12	144	(invalidat\$3 with (shar\$3 or global)) and ((flush\$3 or evict\$3 or purg\$3) adj2 (transaction or command or instruction))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/03 07:47
14	45	((invalidat\$3 with (shar\$3 or global)) and ((flush\$3 or evict\$3 or purg\$3) adj2 (transaction or command or instruction))) and ((shared or global) adj (bit or flag	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/03 07:47
9	16	or indicator or semaphore)) (invalidat\$3 with (((task or process or function or (address adj space)) adj (id or identifier or identification)) or ((task or process or function or (address adj space)) adj number) or (asid or tid or pid or asn))) and (invalidat\$3 adj2	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 07:47
10	14	<pre>(transaction or command or instruction)) (invalidat\$3 with (((task or process or function or (address adj space)) adj (id or identifier or identification)) or ((task or process or function or (address adj space)) adj number) or (asid or tid</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 07:49
13	41	or pid or asn))) and ((flush\$3 or evict\$3 or purg\$3) adj2 (transaction or command or instruction)) ((shared or global) adj (bit or flag or indicator or semaphore)) and ((invalidat\$3 with (shar\$3 or global)) and (invalidat\$3 adj2 (transaction or command or instruction)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/03 07:50

Search History 3/3/04 8:47:56 AM

			1	10004/00/00
6	79	<pre>invalidat\$3 with (((task or process or function or (address adj space)) adj (id or identifier or identification)) or ((task or process or function or (address adj space)) adj number) or (asid or tid or pid or asn))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 07:51
15	26		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 08:36
16	2	j	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 08:38
17	50	<pre>((shared or global) adj (bit or flag or indicator or semaphore)) same (((task or process or function or (address adj space)) adj (id or identifier or identification)) or ((task or process or function or (address adj space)) adj number) or (asid or tid or pid or asn))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 08:38
18	18		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 08:41
19	3467		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 08:42
20	34	•	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 08:42
21	2		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/03 08:46